




# KFY MANUFACTURING MEXICO LIMITED



130 mm x 180 mm x 24 mm NACHI 6926 deep groove ball bearings

Bearing No. 6926

6926 Bearing 2D drawings and 3D CAD models

Size	130x180x24 mm
Bore Diameter	130 mm
Outer Diameter	180 mm
Width	24 mm
d	130 mm
D	180 mm
B	24 mm
C	24 mm
r min.	1.5 mm
da min.	137 mm
Da max.	173 mm
ra max.	1.5 mm
Weight	1.78 Kg
Basic dynamic load rating (C)	65 kN
Basic static load rating (C0)	67 kN
(Grease) Lubrication Speed	3400 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	1.778
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling	No



## KFY MANUFACTURING MEXICO LIMITED

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	130MM Bore; 180MM Outside Diameter; 24MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.nachi.com">http://www.nachi.com</a>
Weight / LBS	3.92
Bore	5.118 Inch   130 Millimeter
Outside Diameter	7.087 Inch   180 Millimeter
Outer Race Width	0.945 Inch   24 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	130 mm
Width	24 mm
Fillet Radius/Chamfer	1.5 mm
Dynamic Load Rating	65,000 N
Static Load Rating	67,000 N
Limiting Speed - Grease	3,500 rpm
Limiting Speed - Oil	4,200 rpm
Factor fo	16.4
Radial Clearance	0.018 to 0.048 mm



## KFY MANUFACTURING MEXICO LIMITED

da (min)	137 mm
Da (max)	173 mm
ra (max)	1.5 mm